


Instalacija WordPress-a

1.0 Uvod

WordPress je pisan u PHP-u, pa je potrebno da na serveru bude instaliran PHP. Hosting kompanije to obezbeđuju kroz svoju uslugu, dok se na lokalu PHP najčešće instalira zajedno sa serverom u okviru nekog paketa (WAMP, LAMP, MAMP, XAMPP...). Pored PHP i servera je potrebn DBMS (DataBase Management System) najčešće MySQL. Nezavisno da li se WordPress instalira na lokalnom ili udaljenom serveru pre same instalacije je potrebno napraviti bazu podataka unutar koje će WordPress pri instalaciji napraviti potrebne tabele i čuvati podatke. Znači za instalaciju WordPress-a su potrebne sledeće tri stvari:

- Server
- MySQL baza podataka
- Instaliran PHP
-

Nakon instalacije wamp servera ukoliko je port 80 zauzet isključiti proces aplikacije koja zauzima taj port (najčešće je u pitanju Skype) u Task Menadžeru ili promeniti port koji server sluša (u 8080 npr) Port je moguće promeniti u fajlu: apache → httpd.conf

 httpd.conf - Notepad

File Edit Format View Help

```
#
# Mutex default:logs

#
# Listen: Allows you to bind Apache to specific IP addresses and/or
# ports, instead of the default. See also the <VirtualHost>
# directive.
#
# Change this to Listen on specific IP addresses as shown below to
# prevent Apache from glomming onto all bound IP addresses.
#
#Listen 12.34.56.78:80
Listen 0.0.0.0:8080
Listen [:::]:8080
```


MySQL radi na portu 3308 (može se proveriti u my.ini fajlu)

2.0 Instalacija na lokalnom serveru

2.1 Baza podataka

Kreiramo bazu podataka i korisnika koji će imati pristup bazi koristeći phpMyAdmin aplikaciju. Ova aplikacija se izvršava u browser-u i poziva se tako što unese URL adresa: localhost/phpmyadmin.

Nakon startovanja aplikacije u levoj sekciji stranice, gde se nalazi spisak svih baza podataka, kliknite na dugme „New“. Zadajte naziv baze, a pošto ovu bazu koristi direktno wordpress neophodno je sačuvati izabrani naziv jer će biti potreban pri instalaciji wordpress-a. Zatim na padajućoj listi „collation“ izaberite „utf8_unicode_ci“ vrednost i kliknite na dugme „Create“.



2.2 Instalacija

U okviru Apache servera default-na lokacija na koju treba da smestite sve fajlove sajta je folder pod nazivom “www”, koji se nalazi prema sledećoj putanji:

C:\wamp\www\folder_gde_su_smešteni_WP_fajlovi

Unutar foldera “www” napraviti novi folder ali obratiti pažnju na ime foldera jer će se kasnije koristi u URL adresi za pozivanje sajta (localhost/naziv_foldera) pa je bitno da bude ime bez razmaka. Nakon preuzimanja WordPress instalacije sa oficijelne stranice .zip arhivu otpakujete a sadržaj foldera “wordpress” kopirate u napravljeni folder.


Instalacija se pokreće tako što u veb pretraživaču unesete adresu:

http://localhost/folder_gde_su_smešteni_WP_fajlovi

korak 1 instalacije WordPress-a


U pretraživaču ukucati adresu na kojoj se nalaze wp fajlovi (npr. http://localhost/naziv_folder)

Nakon toga će se pokrenuti instalacija WordPress a



Potrebno je izabrati podrazumevani jezik.

Korak 2 instalacije WordPress-a



Otvora se wizzard koji služi za inicijalno podešavanje WordPress-a koji na govori da će u sledećemo wizzardu biti potrebno uneti sledeće podatke:

Database name: ime prazne baze koju ste dodali u phpmyadmin

Username: root (ukoliko niste menjali podešavanja MySQL-a)

Password: root ili prazno (ukoliko niste menjali podešavanja MySQL-a)

Database Host: localhost(ili localhost:3308)


korak 3 instalacije WordPress-a

Database host je localhost ili localhost:3308

Below you should enter your database connection details. If you're not sure about these, contact your host.

Database Name	<input type="text" value="wpauroradb"/>	The name of the database you want to run WP in.
User Name	<input type="text" value="root"/>	Your MySQL username
Password	<input type="text" value="root"/>	...and your MySQL password.
Database Host	<input type="text" value="localhost"/>	You should be able to get this info from your web host, if localhost doesn't work.
Table Prefix	<input type="text" value="u23tt_"/>	If you want to run multiple WordPress installations in a single database, change this.

korak 4 instalacije WordPress-a



korak 5 instalacije WordPress-a

Potom podešavate sledeća polja:


Site Title: Upišite naziv sajta (pojavljuje se u naslovnoj liniji prozora)

Username: odaberite sebi korisničko ime za login

Password: odaberite šifru i ukucajte je dva puta

Your Email: unesite svoju email adresu

Search Engine Visibility: deštiklirajte opciju Discourage search engines from indexing this site



The screenshot shows the WordPress installation interface in a browser window. The address bar indicates the URL: localhost/wpaurora/wp-admin/install.php?language=en_US. The main content area features the WordPress logo at the top, followed by a 'Welcome' message. Below this is the 'Information needed' section, which prompts the user to provide the following information:

- Site Title:** WPAurora
- Username:** urostasic
- Password:** DqU3(W9Bsn*DQq8iB^ (Strong)
- Your Email:** urost@wpaurora.com
- Search Engine Visibility:** Discourage search engines from indexing this site

At the bottom of the form is an 'Install WordPress' button.

Install WordPress

korak 6 instalacije WordPress-a

