

Informacije o predmetu

Predmet: Administriranje Baze Podataka
Predavač: dr Dušan Stefanović

Informacije o predmetu

Студијски програм: SRT

Статус предмета: Изборни

Семестар: VI

Број часова: 2 + 1 + 1

Број ЕСПБ: 5

CILJ PREDMETA

- Projektovanje
- Implementacija
- Programiranje
- Administriranje Baze Podataka



SADRŽAJ PREDMETA

1	Projektovanje baze podataka,EER, referencijalni integritet i ograničenja	<i>Modelovanje i preslikavanje podataka u relacioni model SQL upiti</i>
2	Programiranje i automatizacija RDBM baze podataka	<i>Korisničke i ugrađene funkcije Procedure Trigeri</i>
3	Transakcije i Pogledi (eng. Views)	<i>Konkurencki pristup i osobine transakcije (ACID) Osobine pogleda i prednosti korišćenja pogleda</i>
4	Tehnike za optimizaciju baze podataka	<i>Indeksi Optimizacija upita</i>
5	Kreiranje korisnika i dodela privilegija	<i>Upravljanje korisničkim nalozima i definisanje nivoa pristupa DBMS-u</i>
6	Replikacija, Backup & Oporavak	<i>Primena replikacije i metode za backup i oporavak podataka</i>
7	Bezbednost baze podataka	<i>Primeri dobre prakse u zaštiti baze podataka Posledice neadekvatne zaštite baze podataka</i>


[FINALNI PROJEKAT]

PREDUSLOVI ZA SLUŠANJE PREDMETA


-  Potrebno je da student bude upoznat sa konceptom dizajna relacione baze podataka (**NORMALIZACIJA**) i sa kreiranjem **EER DIJAGRAMA**

-  Potrebno je da student bude upoznat sa pisanjem SQL iskaza Data Definition i Data Manipulation:
CREATE, ALTER, INSERT, UPDATE, & DELETE

Projektovanje - Modelovanje




Modelovanje - realni svet preslikava na određeni broj podataka




Opisan model naručivanja proizvoda
kroz ER dijagram

Projektovanje – Relacioni model



Opisani model naručivanja proizvoda



Relacioni model naručivanja proizvoda

Dokumentovanje – određivanje šeme baze podataka

Dokumentovanje Entiteta

Ime Entiteta	Opis	Alternativna imena	Pojava
RADNIK	Opšti naziv za sve zaposlene u preduzeću	OSOBLJE ZAPOSLEN	Sve osobe zaposlene u kompaniji min=2 max=1000
PROJEKAT	Svaki posao za koji je otvoren radni nalog	POSAO	Svi poslovi kompanije min=1 max=1000
SEKTOR	Deo kompanije koji obavlja neku delatnost	ODELJENJE	Sve organizacione jedinice kompanije min=1 max=20
CLAN_PORODICE	Dete radnika kompanije	DETE	Samo oni članovi porodice koji ostvaruju prava socijalnog programa preko radnika kompanije min=1 Max=4000 (4* broj radnika)

Dokumentovanje Atributa

Ime Entiteta/ Veze	Atribut	Opis	Alias	Složen	Viševrednosni	Izveden	Default	Not Null	Unique	Tip Podataka /dužina
RADNIK	MatBR (PK)	Matični br. radnika	MBR	-	-	-		+	+	Integer
	Ime	Ime radnika		Lime Prezime SSlovo	-	-		+	-	Varchar(15) Varchar(15) CHAR(1)
	DatRodj	Datum rođenja radnika		-	-	-		-	-	Date
	Pol	Pol radnika								CHAR(1)
	Plata	Plata radnika	LD							Number
	Adresa	Adresa stanovanja								Varchar(30)

Dokumentovanje Veza

Ime Veze	Entiteti	Ograničenja	Atributi veze
NADZOR (Rekurzivni tip veze)	RADNIK RADNIK	0..n 0..1	
RADI_NA	RADNIK PROJEKAT	1..n 1..n	Sati (Broj sati angažovanja radnika na projektu)
RUKOVODI	RADNIK ODELJENJE	0..n 0..1	DatPost (Datum Postavljenja Rukovodioca Odeljenja)
RADI_U	RADNIK SEKTOR	1..1 4..n	
JE_NOSILAC	SEKTOR PROJEKAT	0..n 1..1	
ZAVISI_OD (slab tip veze)	RADNIK CLAN_PORODICE	0..n 1..1	

Implementacija – vrste podataka

Predstavljanje celih brojeva

TINYINT, SMALLINT, MEDIUMINT, INT, BIGINT

Predstavljanje razlomljenih brojeva

Decimal, Float, Double

Predstavljanje string podataka

Char, Varchar

Predstavljanje datumskih podataka

DATE, TIME, DATETIME, TIMESTAMP, YEAR

Predstavljanje binarnih podataka

Binary, Varbinary

Predstavljanje tekstualnih podataka

TINYTEXT, TEXT, MEDIUMTEXT, LONGTEXT

Predstavljanje velikih binarnih objekata

TINYBLOB, BLOB, MEDIUMBLOB, and LONGBLOB

Pravilan izbor tipa podataka utiče na

- bolje performanse
- ispravnost unetih podataka
- manje zauzeće memorije.

- PODSETNIK -

NAJČEŠĆI MySQL TIPOVI PODATAKA

Tip podataka	Karakteristika	Tip podataka	Karakteristika
TINYINT	<i>Integer (-128 to 127)</i>	CHAR	<i>String (0 – 255)</i>
SMALLINT	<i>Integer (-32768 to 32767)</i>	VARCHAR	<i>String (0 – 255)</i>
MEDIUMINT	<i>Integer (-8388608 to 8388607)</i>	TINYTEXT	<i>String (0 – 255)</i>
INT	<i>Integer (-2147483648 to 2147483647)</i>	TEXT	<i>String (0 – 65535)</i>
BIGINT	<i>Integer (-9223372036854775808 to 9223372036854775807)</i>	DATE	<i>YYYY-MM-DD</i>
FLOAT	<i>Decimal (precise to 23 digits)</i>	DATETIME	<i>YYYY-MM-DD HH:MM:SS</i>
DOUBLE	<i>Decimal (23 to 53 digits)</i>	TIMESTAMP	<i>YYYYMMDDHHMMSS</i>
DECIMAL	<i>Decimal (to 65 digits – most precise)</i>	ENUM	<i>Jedna od brojnih unapred podešenih opcija</i>

- PODSETNIK -

6 OSNOVNIH ELEMENATA SQL ISKAZA

POČETAK
ISKAZA

SELECT

Prikaz kolone ili kolona koje želimo da prikažemo u rezultatu upita

FROM

Saopštavanje upitu iz koje tabele ili tabela da uzme podatke

WHERE

(Opcioni) Uslov za filtriranje zapisa

GROUP BY

(Opcioni) Kolona ili kolone po kojima se grupišu podaci u upitu

HAVING

(Opcioni) Uslov za filtriranje rezultata dobijenog nakon grupisanja

ORDER BY

(Opcioni) Definiše redosled prikaza rezultata upita

SELECT naziv kolone

FROM naziv tabele

WHERE logički uslov

GROUP BY naziv kolone

HAVING logički uslov

ORDER BY naziv kolone

KRAJ
ISKAZA

- PODSETNIK -

NAJČEŠĆI JOIN TIPOVI

INNER JOIN

Vraća zapise koji postoje u **OBE** tabele, ne uključuje zapise koji se ne podudaraju

FROM leftTable
INNER JOIN rightTable

LEFT JOIN

Vraća SVE zapise iz **LEVE** tabele, i samo zapise koji se podudaraju iz **DESNE** tabele

FROM leftTable
LEFT JOIN rightTable

RIGHT JOIN

Vraća SVE zapise iz **DESNE** tabele, i samo zapise koji se podudaraju iz **LEVE** tabele

FROM leftTable
RIGHT JOIN rightTable

FULL OUTER JOIN

Vraća SVE zapise iz **OBE** tabele, uključujući zapise koji se ne podudaraju


FROM leftTable
FULL JOIN rightTable

UNION


Vraća sve podatke iz jedne tabele sa **pridruženim** podacima iz druge tabele


SELECT FROM firstTable
UNION
SELECT FROM secondTable

KREIRANJE EER DIJAGRAMA IZ WORKBENCH-a



KREIRANJE EER DIJAGRAMA NA OSNOVU INVERZNOG INŽENJERSTVA





PROGRAMIRANJE - STORE PROCEDURE

AUTOMATIZACIJA - TRIGERI

```

CREATE TRIGGER purchaseUpdateInventory
AFTER INSERT ON customer_purchases
FOR EACH ROW
    UPDATE inventory
        -- subtracting an item for each purchase
        SET number_in_stock = number_in_stock - 1
        WHERE inventory_id = NEW.inventory_id;

INSERT INTO customer_purchases VALUES
(13,NULL,3,NULL), -- inventory_id = 3, velour jumpsuit
(14,NULL,4,NULL) -- inventory_id = 4, house slippers
;

SELECT * FROM inventory;

```

Rezultat (SELECT * FROM inventory)

Result Grid		
inventory_id	item_name	number_in_stock
1	fur coat	0
2	moccassins	4
3	velour jumpsuit	12
4	house slippers	6
5	brown leather jacket	3
6	broken keyboard	6
8	kneeborder	2
9	pro wings sneakers	0
10	wolf skin hat	1
11	fur fox skin	1
12	plaid button up shirt	8
13	flannel zebra jammies	6

Result Grid		
inventory_id	item_name	number_in_stock
1	fur coat	0
2	moccassins	4
3	velour jumpsuit	11
4	house slippers	5
5	brown leather jacket	3
6	broken keyboard	6
8	kneeborder	2
9	pro wings sneakers	0
10	wolf skin hat	1
11	fur fox skin	1
12	plaid button up shirt	8
13	flannel zebra jammies	6

- MySQL triger je sačuvan program koji se pokreće automatski uvek kada se desi događaj (event) koji je povezan sa tabelom


- Događaj (event) je povezan sa 3 DML iskaza

- INSERT
- UPDATE
- DELETE

- Triger je način da povezane tabele ostanu sihronizovane tokom vremena
- ```

1 SELECT
2 COUNT(DISTINCT
3 LEFT JOIN customer
4 ON customer.customer_id = rental.customer_id
5 GROUP BY
6 customer.first_name,
7 customer.last_name
8 ORDER BY
9

```



- To je objekt baze podataka koji sadrži kod koji se izvršava kao posebna celina
- Funkcija može da vrati jednu vrednost (skalarna) ili tabelu
- MySQL nam dozvoljava da koristimo ugrađene funkcije ili da kreiramo svoje

- Tekstualne funkcije (String)
- Matematičke i statističke funkcije
- Datumske funkcije
- Funkcije za kontrolu toka (Case i If strukture)

## PROGRAMIRANJE – CASE struktura

```

SELECT OrderID, Status,
CASE Status
 WHEN 1 THEN "Odobren"
 WHEN 2 THEN "U obradi"
 ELSE "Nije odobren"
END
FROM OrderDetails;

```

## PROGRAMIRANJE – IF struktura

**Uslov**

```

SELECT book_name, isbn_no,
IF(
 (SELECT COUNT(*) FROM book_mast WHERE pub_lang='English') >
 (SELECT COUNT(*) FROM book_mast WHERE pub_lang<>'English'),
 (CONCAT("Pages: ",no_page)),
 (CONCAT("Price: ",book_price)) AS "Page / Price"
)
FROM book_mast;

```

**Ako je uslov ispunjen**

**Ako uslov nije ispunjen ispunjen**

## POGLEDI (VIEWS)

-- creating a view

```
CREATE VIEW country_averages AS
SELECT
 country,
 AVG(years_experience) AS yrs_experience,
 AVG(CASE WHEN is_manager = 'Yes' THEN 1 ELSE 0 END) AS pct_mgrs,
 AVG(CASE WHEN education_level = 'Masters' THEN 1 ELSE 0 END) AS pct_masters
FROM salary_survey
GROUP BY 1;
```

-- selecting from the view

```
SELECT * FROM country_averages;
```

## Rezultat


| country        | yrs_experience | pct_mgrs | pct_masters |
|----------------|----------------|----------|-------------|
| United States  | 23.0379        | 0.2613   | 0.1731      |
| United Kingdom | 10.1005        | 0.2487   | 0.1005      |
| Germany        | 10.6379        | 0.3276   | 0.3448      |
| Netherlands    | 9.7955         | 0.2727   | 0.1364      |
| Canada         | 11.3556        | 0.2593   | 0.0815      |
| Poland         | 7.0000         | 0.3333   | 0.7083      |
| Ukraine        | 7.1250         | 0.5000   | 0.7500      |
| India          | 6.4795         | 0.3973   | 0.3699      |
| Portugal       | 8.6667         | 0.3333   | 0.2222      |
| South Africa   | 13.0645        | 0.2581   | 0.0000      |
| Greece         | 10.5000        | 0.6667   | 0.4167      |
| Israel         | 9.2727         | 0.2727   | 0.1818      |
| Spain          | 7.4118         | 0.4118   | 0.4118      |
| Norway         | 9.6667         | 0.0000   | 0.0000      |
| France         | 9.7333         | 0.2000   | 0.4667      |
| Jersey         | 11.6000        | 0.0000   | 0.2000      |
| Argentina      | 6.4000         | 0.2000   | 0.0000      |
| Belgium        | 9.2723         | 0.0909   | 0.0909      |
| Switzerland    | 11.0909        | 0.2727   | 0.3182      |
| Ireland        | 11.3478        | 0.4348   | 0.2174      |
| Italy          | 10.8571        | 0.4286   | 0.1905      |

- Kreira virtualnu tabelu sa sadržajem iz upita koji fizički nisu uneti u bazu podataka

- Jedna od prednosti korišćena pogleda je agregacija podataka iz više tabela u jedan pogled

- Druga prednost je bezbednost – administrator može dati određenom korisniku ekskluzivno pristup pogledu

```
1 SELECT
2 customer.first_name,
3 customer.last_name
4 COUNT(DISTINCT rental.customer_id)
5 FROM rental
6 LEFT JOIN customer
7 ON customer.customer_id = rental.customer_id
8 GROUP BY
9 customer.first_name,
10 customer.last_name
11 ORDER BY
```



## TRANSAKCIJE

explain select username  
from user\_details  
where username='Dusan'

## Analiza izvršenja upita

|   | id | select_type | table        | partitions | type | possible_keys | key  | key_len | ref  | rows    | filtered | Extra       |
|---|----|-------------|--------------|------------|------|---------------|------|---------|------|---------|----------|-------------|
| 1 | 1  | SIMPLE      | user_details | NULL       | ALL  | NULL          | NULL | NULL    | NULL | 1005416 | 10.00    | Using where |

|   | id | select_type | table        | partitions | type | possible_keys | key          | key_len | ref   | rows | filtered | Extra       |
|---|----|-------------|--------------|------------|------|---------------|--------------|---------|-------|------|----------|-------------|
| 1 | 1  | SIMPLE      | user_details | NULL       | ref  | ind_username  | ind_username | 258     | const | 1    | 0.00     | Using index |

## OPTIMIZACIJA - INDEKSI

- Indeksi igraju značajnu ulogu u brzini rada same baze jer pomažu DBMS da brže pronađe ono što tražimo

- Indeksi nam omogućavaju da brže pristupimo određenom redu u velikoj tabeli.

Indeksiranje je trgovina između:

- Bržeg čitanja podataka

- Sporijeg upisa podataka

```
explain select username
from user_details
where username='Dusan'
```

## Analiza izvršenja upita

|   | id | select_type | table        | partitions | type | possible_keys | key  | key_len | ref  | rows    | filtered | Extra       |
|---|----|-------------|--------------|------------|------|---------------|------|---------|------|---------|----------|-------------|
| 1 | 1  | SIMPLE      | user_details | NULL       | ALL  | NULL          | NULL | NULL    | NULL | 1005416 | 10.00    | Using where |

|   | id | select_type | table        | partitions | type | possible_keys | key          | key_len | ref   | rows | filtered | Extra       |
|---|----|-------------|--------------|------------|------|---------------|--------------|---------|-------|------|----------|-------------|
| 1 | 1  | SIMPLE      | user_details | NULL       | ref  | ind_username  | ind_username | 258     | const | 1    | 0.00     | Using index |



## OPTIMIZACIJA UPITA

```

SELECT s.*
FROM SH.sales s
WHERE s.prod_id = 14 OR s.prod_id = 17;


```

```

SELECT s.*
FROM SH.sales s
WHERE s.prod_id IN (14, 17);


```

**Rezultat – 73% je ušteda u vremenu izvršenja upita**



# REPLIKACIJA BAZE PODATAKA

**Replikacija** nam omogućava da čuvamo isti podatak na dva ili više servera kreiranjem replike (kopije istog podatka)



## BENEFITI & PRIMENA:

- Replikacija može da služi i kao forma backup-a
- Kreiranje ***read only*** replike za kreiranje izveštaja odvaja analizu podataka od produkcije
- U određenim okolnostima, raspodela opterećenja između servera može da poboljša performanse aplikacije

# BACKUP & RECOVERY

Backup koristimo da povratimo podatke u slučaju da se oštete ili obrišu

## Fizički vs Logički Backup

- **Fizički** backup čuva sirove (raw) podatke u fajlu, dok **Logički** backup čuva i SQL iskaze koji su potrebni da bi se šema baze podataka ponovo kreirala i popunila podacima

## Online vs Offline Backup

- **Online** backup se koristi dok server radi. Prednost je što se rad servera ne prekida.
- **Offline** backup se koristi kada je server isključen.

## Lokal vs Udaljeni Backup

- **Lokalni** backup se radi na istom hostu na kome se nalazi MySQL server
- **Udaljeni (Remote)** backup se pokreće sa udaljenog hosta.

# NAJČEŠĆE BEZBEDONOSNE PRETNJE

|   |                                     |                                                                                                                                            |
|---|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | <b>Slaba (Weak) Autentifikacija</b> | <i>Napadači mogu iskoristiti ograničene ili slabe metode autentifikacije</i>                                                               |
| 2 | <b>Denial of Service (DoS)</b>      | <i>DoS napadači će pokušati da preplave ili sruše sistem, čineći ga beskorišnim za legitimne korisnike</i>                                 |
| 3 | <b>Eskalacija Privilegija</b>       | <i>Napadači će koristiti ovu strategiju za dobijanje pristupa višim nivoima u sistemu i informacija koje ne želimo da vide</i>             |
| 4 | <b>SQL Injection</b>                | <i>Postavljanje zlonamernog koda u SQL iskazu, putem unosa na web stranici.</i>                                                            |
| 5 | <b>Buffer Overflow</b>              | <i>Napadači mogu da iskoristiti rupe u aplikaciji i da nateraju aplikaciju da se ne ponaša na regularan način</i>                          |
| 6 | <b>Ransomware</b>                   | <i>Vrsta zlonamernog softvera (Malware) dizajniranog da blokira pristup računarskom sistemu ili podacima dok se ne uplati iznos novca.</i> |